



**SAFETY DATA SHEET
TamSeal IM**

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	TamSeal IM
SUPPLIER	TAM International Australia PTY Ltd 20 Pedder Crescent Regency Park South Australia 5010 Australia +61 8 8340 4166 +61 8 8340 4121 tam@taminternational.com

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

4 FIRST-AID MEASURES

INHALATION

Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring these instructions.

INGESTION

Drink plenty of water. Get medical attention.

SKIN CONTACT

Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

EYE CONTACT

Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Water spray, foam, dry powder or carbon dioxide.

SPECIAL FIRE FIGHTING PROCEDURES

Containers close to fire should be removed or cooled with water.

UNUSUAL FIRE & EXPLOSION HAZARDS

No unusual fire or explosion hazards noted.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

ENVIRONMENTAL PRECAUTIONS

Avoid discharge into drains. Avoid discharge into water courses or onto the ground. Avoid discharge to the aquatic environment.

7 HANDLING AND STORAGE

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry and cool place. Protect from freezing and direct sunlight.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES

Provide adequate ventilation. Observe Workplace Exposure Limits and minimise the risk of inhalation of vapours.

TamSeal IM**RESPIRATORY EQUIPMENT**

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Recommended Workplace Exposure Limit.

HAND PROTECTION

Rubber, neoprene or PVC.

EYE PROTECTION

Wear approved safety goggles.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet.

SKIN PROTECTION

Protection suit must be worn.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Coloured paste Dark coloured liquid		
COLOUR	Dark Brown Black		
SOLUBILITY	Soluble in water		
BOILING POINT (°C)	100 oC	RELATIVE DENSITY	1.2kg/lt
VAPOUR DENSITY (air=1)	(Air=1) <1 water	VAPOUR PRESSURE	As for water
FLASH POINT (°C)	N/A	AUTO IGNITION TEMPERATURE (°C)	N/A

10 STABILITY AND REACTIVITY**STABILITY**

No particular stability concerns.

HAZARDOUS POLYMERISATION

Will not polymerise.

MATERIALS TO AVOID

Strong oxidising substances. Strong acids. Strong alkalis.

11 TOXICOLOGICAL INFORMATION**INHALATION**

Vapours may irritate throat and respiratory system and cause coughing.

INGESTION

No specific health warnings noted.

SKIN CONTACT

Slightly irritating.

EYE CONTACT

May cause temporary eye irritation.

12 ECOLOGICAL INFORMATION**MOBILITY**

The product is soluble in water.

BIOACCUMULATION

No data available on bioaccumulation.

13 DISPOSAL CONSIDERATIONS**GENERAL INFORMATION**

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Dike far ahead of spill for later disposal. Do not allow runoff to sewer, waterway or ground.

TamSeal IM

14 TRANSPORT INFORMATION

GENERAL The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

15 REGULATORY INFORMATION

RISK PHRASES
NC Not classified.

SAFETY PHRASES
NC Not classified.

16 OTHER INFORMATION

REVISION DATE 26/11/2008
REV. NO./REPL. SDS GENERATED 2

DISCLAIMER

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. TAM International shall not be held liable for any damage resulting from contact with or handling of the above product.